

[Skip to content](#)

**Manuals+**

User Manuals Simplified.



# KANDAO Meeting Pro Conference Camera User Guide

Home » [KANDAO](#) » KANDAO Meeting Pro Conference Camera User Guide 

**KANDAO Meeting Pro Conference Camera User Guide**



## Contents [ [hide](#) ]

- [1 Packing List](#)
- [2 Parts Description](#)
- [3 Button Instructions](#)
- [4 Connection and Usage](#)
- [5 System Update](#)
- [6 Remote Controller](#)
- [7 Statement](#)
- [8 Camera Security](#)
- [9 File Downloads](#)
- [10 Related Manuals](#)

## Packing List


1. CAMERA




2. STORAGE BAG




3. ADAPTER



4. REMOTE CONTROL



5. USB-C TO USB-C(3m)




6. USB-C TO USB-A(1.5m)


7. QUICK GUIDE



8. WARRANTY CARD




## Parts Description



1. Lens cover
2. ON/OFF Button
3. Volume Button
4. LAN
5. USB-C IN
6. Lens
7. Led
8. HDMI
9. SD bayonet
10. Muting/Rec Button
11. Mode Button
12. USB-A
13. USB-C OUT

## Button Instructions



### ON/OFF Button



Long press 3s to turn ON/OFF; Short press to switch sleeping mode, another short press to wake up.

### Volume Button



Turn Up/Down speaker's volume.

### Muting/Recording Button



Short press to mute microphone; Long press 3s to record video locally.

### Power Led



### Mode Button




Short press to switch different mode; Long press 3s to lock screen FOV.

## Connection and Usage

### Connecting to displayer:


1. Connecting Kandao Meeting Pro to power adapter.


2. Connecting the Kandao Meeting Pro and displayer through HDMI port.



3. Long press ON/OFF button  to turn on the Kandao Meeting Pro with green light on.

4. Network can be connected through Ethernet cable or Wifi.

5. Open video conference platform (for example Skype, Zoom, ), successful connection to the meeting achieved when blue light remains on.

6. Short press ON/OFF button  to enter "sleep mode" when meeting is over.



7. Long press ON/OFF button  to turn OFF the Kandao Meeting Pro, if necessary.



## System Update

Connecting Kandao Meeting Pro and displayer through HDMI port to ensure network connected. System will pop up

update notification, click  to update.




## Remote Controller

1. The Kandao Meeting Pro and remote controller will be paired during production.
2. Power Button controls both sleep and wake modes of Kandao Meeting Pro.
3. The remote controller will be disconnected when Kandao Meeting Pro is under sleep mode.
4. Press any button to reconnect the remote controller while the Kandao Meeting Pro is waked up.

## Notes:

1. The remote controller shall be equipped with two AAA batteries.
2. If the remote controller fails to pair with the camera, you can press and hold “OK” and “VOL-” for 3 seconds at the same time, while the indicator light flashes. Enter the setting page of Kandao Meeting Pro, and finds the Bluetooth device “Kandao Meeting”. The indicator Light will turn dark when the pairing is successful.



For more detailed instructions, please visit the following URL  
[www.kandaovr.com/resource/Kandao\\_Meeting\\_Pro\\_User\\_Guide.pdf](http://www.kandaovr.com/resource/Kandao_Meeting_Pro_User_Guide.pdf)



## Statement

1. Please read and follow all the instructions carefully.
2. Please note of all the warnings.
3. Do not use it near heat sources such as radiators, electric heaters, stoves, or other heat producing equipment.
4. Use only Kandao provided components and accessories.
5. Please refer all maintenance work to qualified person. No matter what kind of damage the equipment suffers, such as the broken of power cable or plug, liquid penetration or objects falling into the equipment, rain or damp, unable to work normally or fall, maintenance is required.

## Camera Security

**Warning:** If you fail to take the following precautions, you may be seriously injured or killed by the electric shock or fire disaster, or your Intelligent 360 degree panoramic camera may be damaged: Please check before using the



camera and accessories to make sure they are intact. For security, only Kandao accessories that are provided with the device or genuine ones purchased can be used. Damage caused by the use of unauthorized accessories or parts is not covered by the warranty.

1. Do not place or fix the product on an unstable surface. Failure to follow this precaution may cause the product to loosen or fall off, causing an accident or damage to device.
2. When using external power supply connection, please observe all safety rules of.
3. The lens of Intelligent 360 degree panoramic camera is made of glass. If the lens is damaged, be sure to handle it carefully to avoid being scratched by the broken lens/glass.
4. The temperature of the camera may rise during normal usage. If this occurs, turn off the device and leave it to cool before using again.
5. This product is not a toy and you are solely responsible for complying with all local laws, regulations and restrictions.
6. Please do not use the Intelligent 360 degree panoramic camera for unauthorized monitoring, candid shooting or in any way that violates personal privacy regulations.
7. Precautions: do not put the camera in extremely cold or hot environment. Extremely cold or hot conditions may cause the camera to temporarily stop working properly.
8. **Warning:** there is no protection for the two lenses of the Intelligent 360 degree panoramic camera. If you do not pay attention, it is easy to form scratches. Avoid placing the lens on any surface. Lens scratches are not covered by the warranty.



This symbol indicates that your product should be handled separately from household waste according to local laws and regulations. When the product life ends, please take it to the collection site designated by the local authority. The separate collection and recycling of discarded products are helpful to the protection of natural resources. Besides, please make sure that they are recycled in ways that are beneficial to the human health.



**FCC ID : 2ATPV-KDMT**

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorientate or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. End user must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. The portable device is designed to meet the requirements for exposure to radio waves established by the Federal Communications Commission (USA). These requirements set a SAR limit of 1.6 W/kg averaged over one gram of tissue. The highest SAR value reported under this standard during product certification for use when properly worn on the body. This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
2. This device must accept any interference received, including interference that may cause undesired operation.

## File Downloads



User Guide  
Meeting Pro Conference Camera, Meeting Pro 360, All In One Conferance  
Camera

[Download](#)  
[optimized]  
[Download](#)

## Related Manuals

1. [AVER Conference Camera User Guide](#) www.aver.com CAM520 Pro2 Conference Camera Quick Start Guide Package Contents...
2. [AVer VB342+ Conference Camera User Manual](#) AVer VB342 Conference Camera User Manual – Optimized PDF AVer...
3. [Polycom Sound Station Duo Conference Phone User Guide](#) Polycom SoundStation® Duo Conference Phone Quick Start Guide Package Contents...
4. [Arlo Pro 3 Floodlight Camera User Manual](#) User Manual Arlo Pro 3 Floodlight Camera 1. Get to...
5. [Arlo Pro 3 Floodlight Camera User Manual](#) Arlo Pro 3 Floodlight Camera User Manual Set...
6. [Arlo Pro 3 Security Camera User Manual](#) Set up your Arlo Pro 3 Camera Insert the battery...